

TEST REPORT

Test Report # 22L-014042 Date of Report Issue: December 29, 2022
Date of Sample Received: November 21, 2022 Pages: Page 1 of 9

CLIENT INFORMATION:

Company: Babyone - remmidemmi GmbH
Recipient: -
Recipient Email: christianbos@remmidemmi.net



SAMPLE INFORMATION:

Description: Kinderwagen Krokodillgrün
Assortment: XXXX Purchase Order Number: XXXX
SKU/Style/UPC No.: XXXX Toy Co./Agency: XXXX
Factory/Supplier/Vendor: XXXX Buyer: Babyone - remmidemmi GmbH
Country of Origin: China Labeled Age Grade: -
Country of Distribution: Germany Recommended Age Grade: -
Quantity Submitted: 2 sets Tested Age Grade: -
Testing Period: 11/21/2022 – 11/22/2022 Requested Age Grade: 0+
11/23/2022 – 12/29/2022 Product Reference No: Artikel Nr. A1001-06E

OVERALL RESULT:

 **PASS**

Refer to page 2 for test result summary and appropriate notes.

QIMA Hansecontrol Testing Service (Dongguan)
Co. Ltd.



Joe Jiang Zhao
Supervisor, Hardline Laboratory

TEST RESULTS SUMMARY:

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	EN 1888-1:2018+A1:2022 -Wheeled Child Conveyances (Pushchairs and Prams)-Safety
PASS	EN 1888-2:2018 - Child Care Articles – Wheeled Child Conveyances (From 15kg to 22kg) -Safety

DETAILED RESULTS:

**EN 1888-1:2018+A1:2022 -Wheeled Child Conveyances (Pushchairs and Prams)-Safety
As applicable
Only for Carry cot**

Clause	Requirements	Conclusion
7	Thermal hazards	PASS
8	Mechanical hazards	
8.1	Protective function	
8.1.1	Suitability of vehicle	
8.1.1.1.1	Vehicles intended for use from birth	PASS
8.1.2	Minimum internal height of pram body	PASS
8.2	Entrapment hazards	
8.2.1	Holes and openings	PASS
8.3	Hazards from moving parts	
8.3.1	General Requirements	PASS
8.3.2	Shearing hazards	PASS
8.3.3	Crushing hazards	PASS
8.3.4	Wheels	PASS
8.3.5	Locking mechanism(s)	
8.3.5.1	Folding system for storage or transportation	PASS
8.3.5.1.1.1	General requirements	PASS
8.3.5.1.1.2	Incomplete deployment	PASS
8.3.5.1.1.3	Unintentional release of locking mechanism(s)	PASS
8.3.5.3	Handle movement	
8.3.5.3.2	Requirements for telescopic handles	PASS
8.3.5.4	Requirements for the attachment of pram body and seat unit and car seats to the chassis	PASS
8.5	Choking and ingestion hazards	PASS
8.6	Suffocation hazards	
8.6.1	Internal lining of the pram body and seat unit	PASS
8.6.2	Plastic packaging	PASS
8.7	Hazardous edges and protrusions	PASS
8.8	Parking and braking devices	

Clause	Requirements	Conclusion
8.8.1	Requirements	PASS
8.9	Stability	
8.9.1	Stability of vehicle	PASS
8.9.1.2.2	Stability of prams (for one child)	
8.9.1.2.2.1	Prams (for one child) having an internal length of 800 mm or less	PASS
8.9.2	Longitudinal stability of a pram body with carrying handles	PASS
8.10	Structural integrity	
8.10.1	Carrying handles and handle anchorage points of pram bodies and detachable seat units	PASS
8.10.2	Strength and durability of attachment devices for pram bodies or seat units or car seats	PASS
8.10.3	Irregular surface test	PASS
8.10.4	Dynamic strength	PASS
8.10.5	Wheel strength	PASS
8.10.6	Handle strength	
8.10.6.1	Requirements	PASS
8.10.6.2.1	General test conditions	PASS
8.10.6.2.2	Durability test	PASS
8.10.6.2.4	Dynamic resistance of telescopic handles	PASS
9	Durability of marking	PASS
10	Product information	
10.1	General	PASS
10.2	Marking of product	PASS
10.3	Purchase information	PASS
10.4	Instruction for use	PASS

DETAILED RESULTS:

**EN 1888-2:2018 - Child Care Articles – Wheeled Child Conveyances (From 15kg to 22kg) -Safety
As applicable
Only for Sport seat**

Standard/Clause	Observation	Conclusion
EN 1888-1:2018 Clause 7	Thermal hazards	PASS
EN 1888-1:2018 Clause 8	Mechanical hazards	
EN 1888-1:2018 Clause 8.1	Protective function	
EN 1888-1:2018 Clause 8.1.1	Suitability of vehicle	
EN 1888-1:2018 Clause 8.1.1.1.1	Vehicles intended for use from birth	PASS
EN 1888-1:2018 Clause 8.1.1.1.2	Vehicles intended for use from 6 months of age	PASS
EN 1888-1:2018 Clause 8.1.1.1.3	Seat units	PASS
EN 1888-1:2018 Clause 8.1.3	Restraint system and fasteners	
EN 1888-1:2018 Clause 8.1.3.1.1	Restraint system	PASS
EN 1888-2:2018 Clause 6.1	Restraint system	PASS
EN 1888-1:2018 Clause 8.2	Entrapment hazards	
EN 1888-1:2018 Clause 8.2.1	Holes and openings	PASS
EN 1888-1:2018 Clause 8.3	Hazards from moving parts	
EN 1888-1:2018 Clause 8.3.1	General Requirements	PASS
EN 1888-1:2018 Clause 8.3.2	Shearing hazards	PASS

Standard/Clause	Observation	Conclusion
EN 1888-1:2018 Clause 8.3.3	Crushing hazards	PASS
EN 1888-1:2018 Clause 8.3.4	Wheels	PASS
EN 1888-1:2018 Clause 8.3.5	Locking mechanism(s)	
EN 1888-1:2018 Clause 8.3.5.1	Folding system for storage or transportation	PASS
EN 1888-1:2018 Clause 8.3.5.3	Handle movement	
EN 1888-1:2018 Clause 8.3.5.3.2	Requirements for telescopic handles	PASS
EN 1888-1:2018 Clause 8.3.5.4	Requirements for the attachment of pram body and seat unit and car seats to the chassis	PASS
EN 1888-1:2018 Clause 8.4	Entanglement hazards	PASS
EN 1888-1:2018 Clause 8.5	Choking and ingestion hazards	PASS
EN 1888-1:2018 Clause 8.6	Suffocation hazards	
EN 1888-1:2018 Clause 8.6.1	Internal lining of the pram body and seat unit	PASS
EN 1888-1:2018 Clause 8.6.2	Plastic packaging	PASS
EN 1888-1:2018 Clause 8.7	Hazardous edges and protrusions	PASS
EN 1888-1:2018 Clause 8.8	Parking and braking devices	
EN 1888-1:2018 Clause 8.8.1	Requirements	PASS
EN 1888-1:2018 Clause 8.8.2.2	Vehicle facing up the slope	PASS
EN 1888-1:2018 Clause 8.8.2.3	Vehicle facing down the slope	PASS
EN 1888-1:2018 Clause 8.8.2.4	Vehicle perpendicular to the slope	PASS

Standard/Clause	Observation	Conclusion
EN 1888-1:2018 Clause 8.8.2.5	Test for available wheel movement	PASS
EN 1888-2:2018 Clause 6.2	Parking and braking devices (Repeat test 8.8.2.2 to 8.8.2.5 using test mass H)	PASS
EN 1888-1:2018 Clause 8.9	Stability	
EN 1888-1:2018 Clause 8.9.1	Stability of vehicle	PASS
EN 1888-2:2018 Clause 6.3	Stability (Repeat tests 8.9.1.2 using test mass H)	PASS
EN 1888-1:2018 Clause 8.9.3	Stability hazards due to the position of swiveling wheels	PASS
EN 1888-1:2018 Clause 8.10	Structural integrity	
EN 1888-1:2018 Clause 8.10.1	Carrying handles and handle anchorage points of pram bodies and detachable seat units	PASS
EN 1888-2:2018 Clause 6.4.1	Strength and durability of attachment devices for seat units. (Test in accordance with 8.10.2 of EN1888-1 using test mass H)	PASS
EN 1888-1:2018 Clause 8.10.3	Irregular surface test	PASS
EN 1888-2:2018 Clause 6.4.2	Irregular surface test (Test in accordance with 8.10.3 of EN1888-1 for additional 24000 cycles using test mass H)	PASS
EN 1888-2:2018 Clause 6.4.3	Dynamic strength (Test in accordance with 8.10.4 of EN1888-1 using test mass H)	PASS
EN 1888-1:2018 Clause 8.10.5	Wheel strength	PASS
EN 1888-1:2018 Clause 8.10.6	Handle strength	
EN 1888-1:2018 Clause 8.10.6.1	Requirements	PASS
EN 1888-1:2018 Clause 8.10.6.2.1	General test conditions	PASS
EN 1888-1:2018 Clause 8.10.6.2.2	Durability test	PASS
EN 1888-2:2018 Clause 6.4.4	Handle strength (Test in accordance with 8.10.6.2.2 of EN1888-1 for additional 3300 cycles using test mass H)	PASS

Standard/Clause	Observation	Conclusion
EN 1888-1:2018 Clause 8.10.6.2.4	Dynamic resistance of telescopic handles	PASS
EN 1888-1:2018 Clause 9	Durability of marking	PASS
EN 1888-1:2018 Clause 10	Product information	
EN 1888-1:2018 Clause 10.1	General	PASS
EN 1888-1:2018 Clause 10.2	Marking of product (exclude clause 10.2.8 & clause 10.2.9)	PASS
EN 1888-2:2018 Clause 7.1	Marking of product	PASS
EN 1888-1:2018 Clause 10.3	Purchase information (exclude clause 10.3.1)	PASS
EN 1888-2:2018 Clause 7.2	Purchase information	PASS
EN 1888-1:2018 Clause 10.4	Instruction for use (exclude clause 10.4.2 the 3 rd indent)	PASS
EN 1888-2:2018 Clause 7.3	Instruction for use	PASS

NOTE:

1. The European standard EN 1888-2 applies in conjunction with and in addition to the European standard EN 1888-1 and it cannot be used separately.

SAMPLE PHOTO:



-End Report-